Total Coliform & E. Coli (Presence / Absence) ATL Form V-0064 R00											a-T	AQUA-TECH LABORATORIES COC#									
Client Identification & Sample Collection Information (Please type or use block print) Note that an email address is required for reporting.												3512 Montopolis Dr. Suite A Austin, TX 78744 Bryan, TX 77807									
PROJECT									512.301.9559 979.778.3707									TCEQ Lab ID:			
	Name (Company)									Test Results must meet all accreditation / certification requirements unless stated otherwise.										T104704371	
												DNLY									
Report Results To:	Address									Sample Ice Yes	by	Relinquished by (Sampler)									
	City				Zip Code				Cooler Print/S Temperature °C Receiv			nt/Sign ceived by						Date / Time			
	Phone Other								read Corrected (Court			if applica	purier, pplicable)								
	Contact												rint/Sign telinquished								
	Email									Relinquished by (Courier)											
	Tunaround	unaround Time Requested Sample Acceptance								Container ID(s) Print/Sign							Date / Time				
Circle One	Routine Typically 3-5 busines	Expedited s Extra charges will	3 pm (Mon-Thu) or on F									Receive in Lab Print/Sig							Date / Time		
٥	days	apply 8 am to 3 pm			weekends, or holidays.				lo Lo		5	Swiped	Keyed CHECK					Α	mount		
Notes									Pre-Pay Info	СС	Last	4	Auth Co	ode			CASH	\$			
	Sample Identification / Location Collected											Lab Results					Lab Sample ID Number				
Include any addresses, faucets, or other information you would like as part of the report.					Date			Time	1	Laboratory notes			Test Method:			SM9223 B 2004 18 24			W	ork Order	
·				Month Day		Vear	Diagon sivole		comr	nments		Chlorine √ Total Coliform		E.	Coli						
FILL CONTAINER TO BETWEEN THE 100-mL & 120-mL LINES. DO NOT RINSE OUT THE PRESERVATIVE POWDER.				Month (MM)	Day (DD)	Year (YY)	Please circle AM or PM					Absent	Present	Absent	Present	Absent	Present	Sample & Container	Analysis set-up order		
								AM													
								PM													
								AM													
								PM													
								AM													
								PM AM													
								PM													
								AM													
								PM													