



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.
635 Phil Gramm Boulevard
Bryan, TX 77807-9101

Certificate: T104704371-22-26
Expiration Date: 8/31/2023
Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 200.7

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10013806
Antimony	TX	1005	10013806
Arsenic	TX	1010	10013806
Barium	TX	1015	10013806
Beryllium	TX	1020	10013806
Boron	TX	1025	10013806
Cadmium	TX	1030	10013806
Chromium	TX	1040	10013806
Cobalt	TX	1050	10013806
Copper	TX	1055	10013806
Iron	TX	1070	10013806
Lead	TX	1075	10013806
Manganese	TX	1090	10013806
Molybdenum	TX	1100	10013806
Nickel	TX	1105	10013806
Phosphorus	TX	1910	10013806
Potassium	TX	1125	10013806
Selenium	TX	1140	10013806
Silica as SiO2	TX	1990	10013806
Silver	TX	1150	10013806
Sodium	TX	1155	10013806
Strontium	TX	1160	10013806
Tin	TX	1175	10013806
Titanium	TX	1180	10013806
Vanadium	TX	1185	10013806
Zinc	TX	1190	10013806

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.

**635 Phil Gramm Boulevard
Bryan, TX 77807-9101**

Certificate: T104704371-22-26


Expiration Date: 8/31/2023

Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Cadmium	TX	1030	10014605
Chromium	TX	1040	10014605
Copper	TX	1055	10014605
Lead	TX	1075	10014605
Manganese	TX	1090	10014605
Nickel	TX	1105	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Thallium	TX	1165	10014605
Zinc	TX	1190	10014605
Method EPA 245.2			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10271406
Method SM 2340 C			
Analyte	AB	Analyte ID	Method ID
Total hardness as CaCO ₃	TX	1755	20047001
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 4500-F⁻ C			
Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation


Aqua-Tech Laboratories, Inc.
635 Phil Gramm Boulevard
Bryan, TX 77807-9101

Certificate: T104704371-22-26
Expiration Date: 8/31/2023
Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Fluoride	TX	1730	20101808
Method SM 4500-NO ₂ ⁻ B			
Analyte	AB	Analyte ID	Method ID
Nitrite as N	TX	1840	20024004
Method SM 4500-NO ₃ F			
Analyte	AB	Analyte ID	Method ID
Nitrate as N	TX	1810	20116001
Method SM 9223-IDEXX Laboratories Colilert® Test			
Analyte	AB	Analyte ID	Method ID
Total coliforms and E. coli (P/A)	TX	2502	20212413
Method SM 9223-IDEXX Laboratories Colilert® Quanti-Tray Test			
Analyte	AB	Analyte ID	Method ID
Escherichia coli (enumeration)	TX	2525	20211603
Total coliforms (enumeration)	TX	2500	20211603
Method SM 9223-IDEXX Laboratories Colilert®-18 Test			
Analyte	AB	Analyte ID	Method ID
Total coliforms and E. coli (P/A)	TX	2502	20214602
Method SM 9223-IDEXX Laboratories Colilert®-18 Quanti-Tray Test			
Analyte	AB	Analyte ID	Method ID
Escherichia coli (enumeration)	TX	2525	20211603
Total coliforms (enumeration)	TX	2500	20211603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.

**635 Phil Gramm Boulevard
Bryan, TX 77807-9101**

Certificate: T104704371-22-26

Expiration Date: 8/31/2023

Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Method ASTM D516

Analyte	AB	Analyte ID	Method ID
Sulfate	TX	2000	30002201

Method EPA 1664

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
Silica Gel Treated n-Hexane Extractable Material (SGT-HEM)	TX	10220	10127807

Method EPA 200.7

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10013806
Antimony	TX	1005	10013806
Arsenic	TX	1010	10013806
Barium	TX	1015	10013806
Beryllium	TX	1020	10013806
Boron	TX	1025	10013806
Cadmium	TX	1030	10013806
Calcium	TX	1035	10013806
Chromium	TX	1040	10013806
Cobalt	TX	1050	10013806
Copper	TX	1055	10013806
Iron	TX	1070	10013806
Lead	TX	1075	10013806
Magnesium	TX	1085	10013806
Manganese	TX	1090	10013806
Molybdenum	TX	1100	10013806
Nickel	TX	1105	10013806
Phosphorus	TX	1910	10013806
Potassium	TX	1125	10013806
Selenium	TX	1140	10013806
Sodium	TX	1155	10013806
Strontium	TX	1160	10013806



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation


Aqua-Tech Laboratories, Inc.
635 Phil Gramm Boulevard
Bryan, TX 77807-9101

Certificate: T104704371-22-26
Expiration Date: 8/31/2023
Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Thallium	TX	1165	10013806
Tin	TX	1175	10013806
Titanium	TX	1180	10013806
Vanadium	TX	1185	10013806
Zinc	TX	1190	10013806
Method EPA 200.8			
Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Cadmium	TX	1030	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605
Lead	TX	1075	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Selenium	TX	1140	10014605
Thorium	TX	1170	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605
Method EPA 245.2			
Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10271406
Method EPA 351.2			
Analyte	AB	Analyte ID	Method ID
Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	10065404



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.
635 Phil Gramm Boulevard
Bryan, TX 77807-9101

Certificate: T104704371-22-26
Expiration Date: 8/31/2023
Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method EPA 353.2

Analyte	AB	Analyte ID	Method ID
Nitrate as N	TX	1810	10067400
Nitrate-nitrite	TX	1820	10067400

Method EPA 410.4

Analyte	AB	Analyte ID	Method ID
Chemical oxygen demand (COD)	TX	1565	10077404

Method EPA 7471

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004

Method SM 2120 B

Analyte	AB	Analyte ID	Method ID
Color	TX	1605	20223807

Method SM 2130 B

Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	20042200

Method SM 2320 B

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	20045005

Method SM 2340 B

Analyte	AB	Analyte ID	Method ID
Total hardness as CaCO3	TX	1755	20046008

Method SM 2510 B


Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004

Method SM 2540 B

Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608

Method SM 2540 C

Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.

**635 Phil Gramm Boulevard
Bryan, TX 77807-9101**

Certificate:

T104704371-22-26

Expiration Date:

8/31/2023


Issue Date:

9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method SM 2540 D			
Analyte Residue-nonfilterable (TSS)	AB TX	Analyte ID 1960	Method ID 20004802
Method SM 3500-Cr B			
Analyte Chromium (VI)	AB TX	Analyte ID 1045	Method ID 20065809
Method SM 4500-Cl F			
Analyte Total residual chlorine	AB TX	Analyte ID 1940	Method ID 20080482
Method SM 4500-Cl ⁻ B			
Analyte Chloride	AB TX	Analyte ID 1575	Method ID 20083801
Method SM 4500-F ⁻ C			
Analyte Fluoride	AB TX	Analyte ID 1730	Method ID 20101808
Method SM 4500-H ⁺ B			
Analyte pH	AB TX	Analyte ID 1900	Method ID 20104603
Method SM 4500-NH ₃ G			
Analyte Ammonia as N	AB TX	Analyte ID 1515	Method ID 20023205
Analyte Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	AB TX	Analyte ID 1790	Method ID 20023205
Method SM 4500-NO ₂ ⁻ B			
Analyte Nitrite as N	AB TX	Analyte ID 1840	Method ID 20024004
Method SM 4500-NO ₃ F			
Analyte Nitrate as N	AB TX	Analyte ID 1810	Method ID 20024402
Analyte Nitrate-nitrite	AB TX	Analyte ID 1820	Method ID 20024402
Method SM 4500-O G			
Analyte Oxygen, dissolved	AB TX	Analyte ID 1880	Method ID 20025405



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.
635 Phil Gramm Boulevard
Bryan, TX 77807-9101

Certificate: T104704371-22-26
Expiration Date: 8/31/2023
Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method SM 4500-P E

Analyte	AB	Analyte ID	Method ID
Orthophosphate as P	TX	1870	20025803
Phosphorus	TX	1910	20025803

Method SM 5210 B

Analyte	AB	Analyte ID	Method ID
Biochemical oxygen demand (BOD)	TX	1530	20027401
Carbonaceous BOD, CBOD	TX	1555	20027401

Method SM 5310 B

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20137206

Method SM 9222 D

Analyte	AB	Analyte ID	Method ID
Fecal coliforms (enumeration)	TX	2530	20037405

Method SM 9223 B

Analyte	AB	Analyte ID	Method ID
Escherichia coli (enumeration)	TX	2525	20211205

Method USGS I-1230-85

Analyte	AB	Analyte ID	Method ID
Chromium (VI)	TX	1045	40002208



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Aqua-Tech Laboratories, Inc.
635 Phil Gramm Boulevard
Bryan, TX 77807-9101

Certificate: T104704371-22-26
Expiration Date: 8/31/2023
Issue Date: 9/1/2022

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 6010

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10155609
Antimony	TX	1005	10155609
Calcium	TX	1035	10155609
Copper	TX	1055	10155609
Iron	TX	1070	10155609
Magnesium	TX	1085	10155609
Phosphorus	TX	1910	10155609
Potassium	TX	1125	10155609
Sodium	TX	1155	10155609
Strontium	TX	1160	10155609

Method EPA 7471

Analyte	AB	Analyte ID	Method ID
Mercury	TX	1095	10166004

Method SM 2540 G

Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20005203

Method SM 9221 C / 9221 E

Analyte	AB	Analyte ID	Method ID
Fecal coliforms (enumeration)	TX	2530	20195806

Method SM 9222 D

Analyte	AB	Analyte ID	Method ID
Fecal coliforms (enumeration)	TX	2530	20037405