AQUA-TECH LABORATORIES — Chain-of-Custody and Analysis Request

Client /Project:

Contact Info

Name

Address

City State ZIP

Phone / Email

Definitions

DW - Drinking Water
NP - Non-Potable Water
S - Solid

(+) Container Type
P - Plastic
G - Glass
T - Teflon©

CM - Custody Maintained
CTU - Custody Transfer Unbroken
CT - Corrected Temperature
SUB - Subcontracted Analysis

TECQ Lab ID: T104704371

Aqua-Tech Laboratories, Inc.

Austin	Bryan
3512 Montopolis Dr.Suite A Austin, TX 78744 512.301.9559	635 Phil Gramm Blvd. Bryan, TX 77807 979.778.3707

Test results meet all accreditation/certification requirements unless stated otherwise.

Work Order / C-O-C

Page of

V-0023 R03

By relinquishing the samples listed below to Aqua-Tech, the client agrees to the following terms.
Samples will be analyzed by a method that is within Aqua-Tech Laboratories' NELAC fields of accreditation. Analytes requiring a certified method that is not within Aqua-Tech's fields of accreditation will be subcontracted to a NELAC certified lab that is certified for that method. Clients will be notified of the subcontract lab's details. Other analytes not requiring accreditation will be analyzed by a compendial method. If a specific method is required, the client will note the method in the "Analysis Requested" column. The client approves all method modifications documented by Aqua-Tech or the subcontract lab. A current list of Aqua-Tech's NELAC fields of accreditation and other methods are available on request.

Sample Custody

Relinquished by (print & sign)	☐ Sampler ☐ Client ☐ ATL Field	Date / Time	☐ Iced / Refrig ☐ Custody Sealed
Received by (print & sign)	☐ Client ☐ ATL Field	Date / Time	☐ Iced / Refrig ☐ CM / CTU
Relinquished by (print & sign)	☐ Client ☐ ATL Field	Date / Time	☐ Iced / Refrig ☐ CM / CTU
Received by (print & sign)	☐ Client ☐ ATL Field	Date / Time	☐ Iced / Refrig ☐ CM / CTU
Relinquished by (print & sign)	☐ Client ☐ ATL Field	Date / Time	☐ Iced / Refrig ☐ CM / CTU / sealed
Received by (print & sign)	☐ Lab	Date / Time	☐ Cond Good ☐ Iced / Refrig ☐ CM / CTU

Client Comments:

* Preservatives

1 < 6 °C (unfrozen)
2 H2SO4
3 HCl
4 HNO3
5 Na2S2O3
6 NaOH
7

Receipt in Lab

Cooler ID :		
Temperature (°C) : read / CT		
Preservation Correct ?	YES NO	YES NO
Post Preservatives ?	YES NO	YES NO
Thermometer ID :		
pH Paper ID :		

Lab Comments

Field Sample ID (record field data for each sample in space below)	Start Date	Start Time	End Date	End Time	Composite Type	Sample Matrix	Container(s) Bottle Count	Volume (Size in L)	Type (+)	Preserv-ative(s) *	LAB USE ONLY BELOW (initials) Cooler ID	pH Check	SUB	WORK ORDER
														Sample
Analysis Requested & Comments:														
														Sample
Analysis Requested & Comments:														
														Sample
Analysis Requested & Comments:														
														Sample
Analysis Requested & Comments:														
														Sample
Analysis Requested & Comments:														

AQUA-TECH LABORATORIES — Chain-of-Custody and Analysis Request (continued)

Client / Project Name:

Comments

TCEQ Lab ID: T104704371

Aqua-Tech Laboratories, Inc.

Austin
3512 Montopolis Dr. Suite A
Austin, TX 78744
512.301.9559
www.aqua-techlabs.com

Bryan
635 Phil Gramm Blvd.
Bryan, TX 77807
979.778.3707
corp@aqua-techlabs.com

Work Order / C-O-C

Page of

Field Sample ID	Start Date	Start Time	End Date	End Time	Composite Type	Sample Matrix	Container(s): Bottle Count	Container(s): Volume (Size in L)	Container(s): Type (+)	Container(s): Preserv-ative(s) *	LAB USE ONLY: Cooler ID	LAB USE ONLY: pH Check	LAB USE ONLY: SUB	LAB USE ONLY: WORK ORDER Sample
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														
Analysis Requested & Comments:														